


DECORATEL ESPAÑA


scenic

1.1

www.decoratel.es



GOL / 04



GOL / 20



GOL / 05



GOL / 23



GOL / 12



GOL / 01




GOL / 11



GOL / 02

Ancho 160 cm
Composición 100% poliester Trevia CS
Gramaje 220 gr/m²
Martindale > 50.000 ciclos
Clasificación al fuego
 M-1, C-1, EN-1021-1-2, BS. 5852

Width 160 cm
Composition 100% poliester Trevia CS
Grammage 220 gr/m²
Martindale > 50.000 ciclos
Flammability
 M-1, C-1, EN-1021-1-2, BS. 5852



GOL / 19



GOL / 24



GOL / 03




GOL / 14



GOL / 10



GOL / 13




GOL / 16



GOL / 06

Ancho 160 cm
Composición 100% poliester Trevia CS
Gramaje 220 gr/m²
Martindale > 50.000 ciclos
Clasificación al fuego
 M-1, C-1, EN-1021-1-2, BS. 5852

Width 160 cm
Composition 100% poliester Trevia CS
Grammage 220 gr/m²
Martindale > 50.000 ciclos
Flammability
 M-1, C-1, EN-1021-1-2, BS. 5852




GOL / 22



GOL / 07



GOL / 15



GOL / 08




GOL / 18



GOL / 09




GOL / 17



GOL / 00

Ancho 160 cm
Composición 100% poliéster Trevia CS
Gramaje 220 gr/m²
Martindale > 50.000 ciclos
Clasificación al fuego
 M-1, C-1, EN-1021-1-2, BS. 5852

Width 160 cm
Composition 100% polyester Trevia CS
Grammage 220 gr/m²
Martindale > 50.000 ciclos
Flammability
 M-1, C-1, EN-1021-1-2, BS. 5852




BRILLANT / 100



BRILLANT / 105




BRILLANT / 103



BRILLANT / 104



BRILLANT / 101



BRILLANT / 106




BRILLANT / 107



BRILLANT / 108

Ancho 160 cm
Composición 100% poliester Trevia CS
Gramaje 205 gr/m²
Martindale > 50.000 ciclos
Clasificación al fuego
 M-1, C-1, EN-1021-1-2, BS. 5852


Width 160 cm
Composition 100% poliester Trevia CS
Grammage 205 gr/m²
Martindale > 50.000 ciclos
Flammability
 M-1, C-1, EN-1021-1-2, BS. 5852




ADIS / 04




ADIS / 06




ADIS / 08



ADIS / 03




ADIS / 07



ADIS / 02




ADIS / 00




ADIS / 01

Ancho 160 cm
Composición 100% poliéster Trevia CS
Gramaje 195 gr/m²
Martindale > 50.000 ciclos
Clasificación al fuego
 M-1, C-1, EN-1021-1-2, BS. 5852


Width 160 cm
Composition 100% polyester Trevia CS
Grammage 195 gr/m²
Martindale > 50.000 ciclos
Flammability
 M-1, C-1, EN-1021-1-2, BS. 5852




SAEL / 16



SAEL/ 06




SAEL / 15




SAEL/ 10



SAEL / 12



SAEL / 17





SAEL / 04




SAEL / 00

Ancho 160 cm
Composición 100% poliester Trevia CS
Gramaje 195 gr/m²
Martindale > 50.000 ciclos
Clasificación al fuego
 M-1, C-1, EN-1021-1-2, BS. 5852


Width 160 cm
Composition 100% poliester Trevia CS
Grammage 195 gr/m²
Martindale > 50.000 ciclos
Flammability
 M-1, C-1, EN-1021-1-2, BS. 5852



VOLTA / 16



VOLTA / 07



VOLTA / 08



VOLTA/ 15



VOLTA / 09



VOLTA / 03




VOLTA / 02




VOLTA / 00

Ancho 160 cm
Composición 100% poliester Trevia CS
Gramaje 220 gr/m²
Martindale > 50.000 ciclos
Clasificación al fuego
 M-1, C-1, EN-1021-1-2, BS. 5852

Width 160 cm
Composition 100% poliester Trevia CS
Grammage 220 gr/m²
Martindale > 50.000 ciclos
Flammability
 M-1, C-1, EN-1021-1-2, BS. 5852



EIRE / 01



EIRE / 08



EIRE / 19




EIRE / 06




EIRE / 02



EIRE / 09



EIRE / 04



EIRE / 00

Ancho 160 cm
Composición 100% poliester Trevia CS
Gramaje 195 gr/m²
Martindale > 50.000 ciclos
Clasificación al fuego
 M-1, C-1, EN-1021-1-2, BS. 5852

Width 160 cm
Composition 100% poliester Trevia CS
Grammage 195 gr/m²
Martindale > 50.000 ciclos
Flammability
 M-1, C-1, EN-1021-1-2, BS. 5852



Tintura en piezas
Dyed after woven



Hilo tintado
Dyed thread



Circular elástico
Knit woven elastic



Poliéster
Polyester

Flammability - Classement Feu - Brennbarkeitsklasse

MEET	FRANCE	U.K.	U.S.	GERMANY
NORMS	NF P 92-507	BS 7176	CAL. 117	DIN EN 1021
CLASS	M1	BS EN 1021-1	BULLETIN 117	1.2
		BS EN 1021-2		
		BS 5852 CRIB 5		


Mantenimiento / Maintenance



Limpieza en seco
Humedad reducida
Dry cleanig
w/ low humidity



No blanquear
Do not bleach



No lavar
Do not wash